


Desktop_Publishing_13x13_2003-11-14

B.B. Huria



Across

- 2 That's what the letter 'K' refers to in 'CMYK', which represents subtractive primaries, or process colours, used in colour printing. (5)
- 5 (Cyan, Magenta, Yellow, Black) The subtractive primaries, or process colors, used in color printing. Black (K) is added to enhance color and contrast. (4)
- 6 Binary digit. (3)
- 8 That's what the letter 'M' refers to in 'CMYK', which represents subtractive primaries, or process colours, used in colour printing. (7)
- 9 (Raster image processor) Part of an output device that rasterizes information so that it may be imaged onto film or paper. (3)

- 11 It is equal to 8092 bits. (8)
- 14 GCR stands for Gray XXXXXXXXXX Replacement; a method for reducing the amount of printing ink used. (9)
- 15 A file format for exchanging bitmapped images (usually scans) between applications. (4)
- 17 XXXXXXXX PRIMARIES - Also called light primaries, which are Red, Green and Blue. These are the basic starting colors from which all other colors of light can be created. (8)
- 18 Increase in size of each dot of ink when printed due to temperature, ink and paper type. Uncontrolled XXX XXXX can muddy the printed image. (3,4)
- 19 The smallest discrete

component of an image or picture on a CRT screen (usually a colored dot); in fact it is the short form of Picture Element. (5)

- 10 A reasonably accurate representation of how a printed job is intended to look. (5)
- 12 Stepping shades in a gradient. (7)
- 13 A quality of a given colour that differs slightly from a primary colour. (4)
- 16 That's what the third letter 'F' stands for in acronym 'TIFF'. (4)

Down

- 1 The additive primary colors used to create images on a computer monitor. (3)
- 2 It is equal to eight bits of digital information. (4)
- 3 A trademark of Du Pont; the most popular colour proofing system that uses powdered pigments instead of ink. (8)
- 4 That's what the letter 'C' refers to in 'CMYK', which represents subtractive primaries, or process colours, used in colour printing. (4)
- 7 (Gray component replacement); A method